

Proceedings of the Research Institute of Atmospherics,
Nagoya University, vol.35(1988)

**List of Papers and Data Books by ACOS 650 II Users
published in 1986, 1987, and 1988**

- Ogino, T.: A Three-dimensional MHD simulation of the interaction of the solar wind with the earth's magnetosphere: The generation of field-aligned currents, **J. Geophys. Res.**, **91**, 6791-6806, 1986.
- Ogino, T., R. J. Walker, M. Ashour-Abdalla, and J. M. Dawson: An MHD simulation of the effects of the interplanetary magnetic field B_y component on the interaction of the solar wind with the earth's magnetosphere during southward interplanetary magnetic field, **J. Geophys. Res.**, **91**, 10029-10045, 1986.
- Ogino, T., R. J. Walker, and M. Ashour-Abdalla: An MHD simulation of the interaction of the solar wind with the outflowing plasma from a comet, **Geophys. Res. Lett.**, **13**, 929-932, 1986.
- Ogino, T.: National supercomputer centers of the universities in U.S.A., **Computer Center News of Nagoya University**, **17**, 3, 321-333, (in Japanese), 1986.
- Ogino, T., R. J. Walker, M. Ashour-Abdalla: A three-dimensional MHD simulation of the interaction between the solar wind and comet Halley, **Laboratory and Space Plasmas**, edited by H. Kikuchi, Springer, in press, 1988.
- Ogino, T., R. J. Walker, and M. Ashour-Abdalla: A three dimensional MHD simulation of the interaction of the solar wind with comet Halley, submitted to **J. Geophys. Res.**, 1987.
- Ogino, T., R. J. Walker, M. Ashour-Abdalla: The effects of dipole tilt on magnetotail structure and dynamics, to be submitted to **J. Geophys. Res.**, 1988.
- Ogino, T. R. J. Walker, M. Ashour-Abdalla: A computer model of the earth's magnetosphere, **Proc. Res. Inst. Atmospherics, Nagoya Univ.**, **35**, 1-23, 1988.
- Walker, R. J., and T. Ogino: Field aligned currents and magnetospheric convection: A comparison between MHD simulations and observations, **Proc. Huntsville Workshop on magnetosphere-Ionosphere Plasma Models**, D. Reidel, in press, 1987.
- Walker, R. J., T. Ogino, and M. Ashour-Abdalla: A magnetohydrodynamic simulation of reconnection in the magnetotail during intervals with southward interplanetary magnetic field, **Magnetotail Physics** edited

- by A. Lui., Johns Hopkins University Press, Baltimore, 183-190, 1987.
- Walker, R. J., T. Ogino, and M. Ashour-Abdalla: A global magnetohydrodynamic model of magnetospheric substorms, Cambridge Workshop, MIT Press in press, 1988.
- Ito, T., Y. Morita, and Y. Iwasaka: Balloon-borne observation of aerosols in the antarctic troposphere and stratosphere, *Tellus*, **38B**, 214-222, 1986.
- Kondo, Y., H. Kojima, N. Toriyama, Y. Morita, M. Takagi, and W. A. Matthews: Chemiluminescent ozone instrument for aircraft observation, *J. Meteorol. Soc. Jpn.*, **65**, 795-802, 1987.
- Kondo, Y., W. A. Matthews, P. Amedieu, and D. E. Robbins: Diurnal variation of nitric oxide at 32 km: Measurements and interpretation, *J. Geophys. Res.*, in press, 1988.
- Kondo, Y., W. A. Matthews, A. Iwata, Y. Morita, and M. Takagi: Aircraft measurements of oxides of nitrogen along eastern rim of the Asian continent: Winter observations, *J. Atmos. Chem.*, **5**, 37-58, 1987.
- Kondo, Y., H. Muramatsu, W. A. Matthews, N. Toriyama, and M. Hirota: Tropospheric ozone and oxides of nitrogen over the north western Pacific in summer, *J. Atmos. Chem.*, in press, 1988.
- Kondo, Y., N. Toriyama, M. Kanada, M. Takagi, and W. A. Matthews: Balloon-borne measurements of stratospheric NO_x in France (International MAP GLOBUS Campaign), *Bull. Inst. Space Astron. Sci.*, **17**, 135-143, (in Japanese), 1986.
- Matthews, W. A., Y. Kondo, P. Fabian, and B. C. Krüger: Nitric oxide profiles measured in situ during the GLOBUS 85 campaign, submitted to *J. Atmos. Chem.*
- McKenzie, R. L., W. A. Matthews, Y. Kondo, R. Zander, P. Fabian, F. J. Murcray, D.G.Murcray, and J. A. Pyle: Intercomparison of NO column measurements during MAP/GLOBUS 1985, submitted to *J. Atmos. Chem.*
- Morita, Y., M. Takagi, and Y. Kondo: Aircraft measurements of aerosols in the upper troposphere at mid-latitudes, *Res. Lett. Atmos. Electr.*, **6**, 9-14, 1986.
- Takagi, M., A. Iwata, Y. Kondo, and Y. Morita: Initial results of the satellite "Ohzora" observation of stratospheric aerosol and ozone, *J. Geomag. Geoelectr.*, in press, 1988.
- Takagi, M., A. Iwata, Y. Morita, Y. Kondo, G. Shi, L. Xu, L. Ren, W. Lü, and R. Yu: Aerosol distribution up to 33 km over the suburbs of Beijing, China (40°N) in summer 1984, *Res. Lett. Atmos. Electr.*, **6**, 15-20, 1986.

- Takagi, M., A. Iwata, Y. Morita, Y. Kondo, G. Shi, L. Xu, L. Ren, W. Li, and R. Yu: Balloon observation of aerosols over the suburbs of Beijing, China in summer 1984, **Bull. Inst. Space Astron. Sci.**, **17**, 35-40, 1986.
- Takagi, M., Y. Kondo, and A. Iwata: Observation of stratospheric aerosol and ozone by solar occultation method on board the satellite "Ohzora", **Res. Lett. Atmos. Electr.**, **6**, 49-58, 1986.
- Atlas of Solar Radio Bursts for 1987, Toyokawa Observatory, WDC-C2 Toyokawa, 1988.
- Monthly Report of Solar Radio Emissions, Toyokawa Observatory, January - December, 1987.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1981, Tokyo Astronomical Observatory, University of Tokyo, **23**, 1986.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1982, Tokyo Astronomical Observatory, University of Tokyo, **24**, 1987.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1983, Tokyo Astronomical Observatory, University of Tokyo, **25**, 1988.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1984, Tokyo Astronomical Observatory, University of Tokyo, **26**, 1988.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1985, Tokyo Astronomical Observatory, University of Tokyo, **27**, 1988.
- Quarterly Bulletin on Solar Activity (Radio Part) for 1986, Tokyo Astronomical Observatory, University of Tokyo, **28**, 1988.
- Shibasaki, K., T. Sakurai, H. Koyano, and M. Makita: Solar Vector Magnetograms -1986-, Tokyo Astronomical Observatory, University of Tokyo, 1987.
- Shibasaki, K., T. Sakurai, H. Koyano, and M. Makita: Solar Vector Magnetograms -1987-, Tokyo Astronomical Observatory, University of Tokyo, 1988.
- Kosugi, T., M. Ishiguro, and K. Shibasaki: Polar-Cap and Coronal Hole-Associated Brightening of the Sun at Millimeter Wavelength, **Publ. Astron. Soc. Japan**, **38**, 1-11, 1986.
- Shibasaki, K.: Height Measurements of S-components, **Astrophys. and Space Sci.**, **119**, 21-25, 1986.
- Enome, S., and L. E. Orwig: Relation Between Solar Narrow-Band Decimetre-Wave Bursts and Associated X-ray Bursts, **Nature**, **321**, 421-423, 1986.
- Enome, S., K. Shibasaki, and M. Nishio: Lambda 8-CM Solar Maps Observed with the RSIP, A Real-Time Multi-Channel Digital Correlator Backend Installed to the Radioheliograph at Toyokawa, **Proc. Res. Inst. Atmospheric, Nagoya Univ.**, **34** 35-47, 1987.

- Nishio, M., Y. Tsukiji, S. Kobayashi, K. Shibasaki, and S. Enome: A Real Time Image Processor with Multi-Channel Correlator for Solar Radio Observations, **Astron. and Astrophys.**, to be published, 1988.
- Nishino, M., and Y. Tanaka: Observations of auroral LHR noise by the sounding rocket S-310JA-6, **Planet. Space Sci.**, **35**, 127-137, 1987.
- Nishino, M., Y. Tanaka and Y. Katoh: Detection of the whistler-mode signals from VLF transmitter and their intensity characteristics, **Trans. IEICE**, **J70-B**, No. 11, 1400-1406 (in Japanese), 1987.
- Nishino, M., and Y. Tanaka: Mid-latitude whistler activities deduced from simultaneous observations of causative atmospheric and conjugate measurements of VLF transmitter signals, **Proc. Res. Inst. Atmospherics, Nagoya Univ.** **35**, 25-38, 1988.
- Tanaka, Y., M. Nishino, and M. Hayakawa: Conjugate measurements of VLF transmitter signals at middle latitude ($L=1.93$), **Planet. Space Sci.**, **35**, 1053-1059, 1987.
- Tanaka, Y., D. Lagoute, M. Hayakawa, F. Lefeuvre, and S. Tajima: Spectral broadening of VLF transmitter signals and sideband structure observed on Aureol 3 satellite at middle latitudes, **J. Geophys. Res.**, **92**, No. A7, 7551-7559, 1987.
- Kawasaki, Z-I., and S. Israelsson: Electron fluid model simulations of lightning return strokes, **Proc. 11th International Conf. on lightning and static electricity**, 10B2, 1-4, Dayton Ohio U.S.A., 1986.
- Kawasaki, Z-I., T. Nakai, M. Nagatani, and H. Nakada: Measurement of HF radio wave noise caused by returning bullet train, **Trans. IECE Japan**, **J70-B**, 163-165, (in Japanese), 1987.
- Kawasaki, Z-I., T. Takeuti, and M. Nakano: Group velocity of subsequent return strokes in triggered lightning, **Trans. IEE Japan**, **107**, 47-53, 1987.
- Kawasaki, Z-I., M. Nakano, T. Takeuti, M. Nagatani, H. Nakada, Y. Mizuno, and T. Nagai: Fourier spectra of positive lightning fields during winter thunderstorms, **Res. Lett. Atmosp. Elect.**, **7**, 29-34, 1987.
- Kawasaki, Z-I., M. Nakano, T. Takeuti, and T. Hasegawa: Numerical simulations of lightning by means of the leader propagation model: **Proc. 12th International Conf. lightning and static electricity**, Oklahoma U.S.A., in press, 1988.
- Kakinuma, T., and M. Kojima: Solar Wind Speed from IPS Measurements, Feb.-Dec. 1985, The Res. Inst. of Atmospherics,

- Nagoya Univ., Toyokawa, Japan, 1987.
- Kojima, M., W. A. Coles, T. Kakinuma, and B. J. Rickett: Solar Cycle Evolution of Solar Wind Speed Structure Between 1973 and 1986 Observed with the Interplanetary Scintillation Method, **Proc. XIX IUGG General Assembly**, Vancouver, Canada, 648, 1987.
- Kojima, M., J. W. Armstrong, W. A. Coles, and B. J. Rickett: Random Motion of Solar Wind in Acceleration Region Observed by Interplanetary Scintillation, **Proc. XI International Solar Wind Conf.**, Estes Park, U.S.A., 1987.
- Kojima, M., and T. Kakinuma: Solar Cycle Evolution of Solar Wind Speed Structure Between 1973 and 1985 Observed with the Interplanetary Scintillation Method, **J. Geophys. Res.**, **92**, 7269-7279, 1987.
- Kojima, M.: Japanese IPS System for Solar Wind Velocity Measurements, **Proc. Indo-US workshop "Co-Cordinated Studies of Solar Radiations at Radio, X-ray and Optical Wavelengths and Travelling Interplanetary Phenomena During Solar Maximum Year and beyond"**, Ahmedabad, India, in press, 1988.
- Smith, Z. K., T. Yeh, M. Dryer, T. Watanabe, H. Hirose, Z. Yamamoto, and K. Oyama: Comparison of MHD Simulation With Interplanetary Observations by the Spacecraft SAKIGAKE for the February 1986 Events, **Proc. STIP Symposium**, Huntsville, edited by M. H. Shea and D. Smart, in press, 1987.
- Watanabe, T., T. Kakinuma, and M. Kojima: Three-Dimensional Properties of Interplanetary Disturbances Observed in the Solar Maximum Year, **Solar Maximum Analysis**, edited by V. E. Stepanov and V. N. Obridko, 405-416, 1986.
- Watanabe, T., T. Kakinuma, and M. Kojima: Radio Scintillation Observations of Interplanetary Disturbances in Association with Solar Filament Activity, **Proc. International Plasma Workshop**, Tokyo, edited by H. Kikuchi, Springer-Verlag, Berlin, in press, 1986.
- Watanabe, T., Y. Tanaka, M. Hayakawa, A. Iwata, T. Ogino, and T. Okada: Coordinated Data Analysis of Solar-Geophysical Activity in February - March 1986, **Proc. Chapman Conf. on Plasma Waves and Instabilities in Magnetospheres and at Comets**, edited by H. Oya and B. T. Tsurutani, 78-81, 1987.
- Watanabe, T. and A. Iwata: STE Data Book, Special issue for solar terrestrial events in February - March 1986, Preliminary Report, Part I, **Res. Inst. Atmospheric, Nagoya Univ.**, 1988.
- Watanabe, T. and A. Iwata, A coordinated data book for solar terrestrial observations in February - March 1986, **Proc. Res. Inst.**

- Atmospherics, Nagoya Univ., 35, 57-70, 1988.**
- Hayakawa, M., Y. Tanaka, K. Ohta, and T. Okada, Absolute intensity of daytime whistlers at low and middle latitudes and its latitudinal variation, **J. Geophys. Res., 59, 67-72, 1986.**
- Muto, H., M. Hayakawa, M. Parrot, and F. lefeuvre, Direction finding of half-gyrofrequency VLF emissions in the off-equatorial region of the magnetosphere and their generation and propagation, **J. Geophys. Res., 92, 7538-7552, 1987.**
- Muto, H., and M. Hayakawa: Ray-tracing study of the propagation of whistler mode VLF emissions with frequency above one half the gyro-frequency, **Planet. Space Sci., 35, 1397-1404, 1987.**
- Ohmi, N. and M. Hayakawa: On the generation of quasi-electrostatic half-gyrofrequency whistler-mode waves in the magnetospheric plasma, **J. Plasma Phys., 35, 351-373, 1986.**
- Ohmi, N., J. Ohtsu, and M. Hayakawa: On the polarization of half-gyrofrequency whistler-mode waves in the magnetospheric two component plasma, **J. Phys. Soc. Japan, 55, 2915-2918, 1986.**
- Ohmi, N., and M. Hayakawa: On the propagation of half-gyrofrequency whistler-mode waves in the magnetospheric plasma, **J. Plasma Phys., 36, 379-385, 1986.**
- Okada, T., And S. Enome: An application of one-bit correlation method to the spectral estimation of VLF radio waves, **Trans. IECE, Japan, E69, 797-802, 1986.**
- Okada, T., I. Nagano, K. Hashimoto, I. Kimura, H. Oya, and A. Morioka: Design of a small loop antenna system for receiving waves in VLF and MF bands using a series-transformer network, **Trans. IEICE, Japan, E70, 650-561, 1987.**
- Okada, T. and A. Iwai: **Natural VLF Radio Waves**, Research Studies Press, London, U.K., in press, 1988.