

Proceedings of the Research Institute of Atmospheric,
Nagoya University, vol.34(1987)

**List of Papers and Data Books By ACOS 650 II Users
Published in 1985,1986,and 1987**

- Ogino, T.: A Three-Dimensional MHD Simulation of the Interaction of the Solar Wind with the Earth's Magnetosphere: The Generation of Field-Aligned Currents, *J. Geophys. Res.*, **91**, 6791-6806 (1986)
- Ogino, T., R.J. Walker, M. Ashour-Abdalla, and J.M. Dawson: An MHD Simulation of the Effects of the Interplanetary Magnetic Field B_y Component on the Interaction of the Solar Wind with the Earth's Magnetosphere during Southward Interplanetary Magnetic Field, *J. Geophys. Res.*, **91**, 10029-10045 (1986)
- Ogino, T., R.J. Walker, and M. Ashour-Abdalla: An MHD Simulation of the Interaction of the Solar Wind with the Outflowing Plasma from a Comet, *Geophys. Res. Lett.*, **13**, 929-932 (1986)
- Ogino, T.: National Supercomputer Centers of the Universities in U.S.A. (in Japanese), *Computer Center News of Nagoya University*, vol.17, No.3, 321-333 (1986)
- Ito, T., Y. Morita, and Y. Iwasaka: Balloon-borne observation of aerosols in the antarctic troposphere and stratosphere, *Tellus* (1986) (in press)
- Kondo, Y., A. Iwata, W.A. Matthews, Y. Morita, and M. Takagi: Measurement of oxides of nitrogen in the free troposphere over Japan, *Proc. Int. Ozone Sympos.*, Greece, Reidel Publ. Co., 180-183 (1985)
- Kondo, Y., H. Kojima, N. Toriyama, Y. Morita, M. Takagi, and W.A. Matthews: Chemiluminescent ozone instrument for aircraft observation, submitted to *J. Atmos. Chem.*
- Kondo, Y., W. A. Matthews, A. Iwata, Y. Morita, and M. Takagi: Aircraft measurements of oxides of nitrogen along eastern rim of the Asian continent: winter observations, *J. Atmos. Chem.*, **5**, 37-58 (1987)
- Kondo, Y., W.A. Matthews, A. Iwata, and M. Takagi: Measurement of nitric oxide from 7 to 32 km and its diurnal variation in the stratosphere, *J. Geophys. Res.*, **90**, 3813-3819 (1985)
- Kondo, Y., H. Muramatsu, W.A. Matthews, N. Toriyama, and M.

- Hirota: Tropospheric ozone and oxides of nitrogen over the north western Pacific in summer, submitted to J. Atmos. Chem.
- Kondo, Y., N. Toriyama, M. Kanada, M. Takagi, and W.A. Matthews: Balloon-borne measurements of stratospheric NO_x in France (International MAP GLOBUS Campaign), Bull. Inst. Space Astron. Sci., **17**, 135-143 (1986) (in Japanese)
- Matthews, W.A., Y. Kondo, A. Iwata, and M. Takagi: Nitric oxide profile from 7 to 32 km, Proc. Int. Ozone Sympos., Greece, Reidel Publ. Co., 175-179 (1985)
- Morita, Y. and M. Takagi: Balloon measurement of enhanced stratospheric aerosol layer at mid-latitude after El Chichon eruption, Res. Lett. Atmos. Elect., **5**, 23-26 (1985)
- Morita, Y., M. Takagi, Y. Iwasaka, and A. Ono: Balloon measurements of aerosols in the antarctic stratosphere, Handbook for MAP, **18**, 482-485 (1985)
- Morita, Y., M. Takagi, and Y. Kondo: Aircraft measurements of aerosols in the upper troposphere at mid-latitude, Handbook for MAP, **18**, 412-416 (1985)
- Morita, Y., M. Takagi, and Y. Kondo: Aircraft measurements of aerosols in the upper troposphere at mid-latitudes, Res. Lett. Atmos. Elect., **6**, 9-14 (1986)
- Takagi, M., A. Iwata, and Y. Kondo: Behavior of decaying El Chichon cloud over Toyokawa Japan (35°N) observed by 532-nm lidar, Handbook for MAP, **18**, 343-345 (1985)
- Takagi, M., A. Iwata, Y. Morita, Y. Kondo, G. Shi, L. Xu, L. Ren, W. Lü, and R. Yu: Aerosol distribution up to 33 km over the suburbs of Beijing, China (40°N) in summer 1984, Res. Lett. Atmos. Elect., **6**, 15-20 (1986)
- Takagi, M., A. Iwata, Y. Morita, Y. Kondo, G. Shi, L. Xu, L. Ren, W. Lü, and R. Yu: Balloon observation of aerosols over the suburbs of Beijing, China in summer 1984, Bull. Inst. Space Astron. Sci., **17**, 35-40 (1986) (in Japanese)
- Takagi, M., Y. Kondo, and A. Iwata: Observation of stratospheric aerosol and ozone by solar occultation method on board the satellite "Ohzora", Res. Lett. Atmos. Elect., **6**, 49-58 (1986)
- Takagi, M., Y. Morita, A. Iwata, and Y. Kondo: On the observation techniques for stratospheric aerosols, J. Met. Soc., Japan, **63**, 277-282, (1985)
- Atlas of Solar Radio Bursts for 1986, Toyokawa Observatory, WDC-C2 Toyokawa (1987)
- Monthly Report of Solar Radio Emissions, Toyokawa Observatory,

January - December (1986)

- Quarterly Bulletin on Solar Activity (Radio Part) for 1981, Tokyo Astronomical Observatory, University of Tokyo, **24**, (1986)
- Quarterly Bulletin on Solar Activity (Radio Part) for the first quarter of 1982, Tokyo Astronomical Observatory, University of Tokyo, **25**, (1987)
- Shibasaki, K., T. Sakurai, H. Koyano, and M. Makita: Solar Vector Magnetograms -1986-, Tokyo Astronomical Observatory University of Tokyo, (1987)
- Kosugi, T., M. Ishiguro, and K. Shibasaki: Polar-Cap and Coronal Hole-Associated Brightening of the Sun at Millimeter Wavelengths, Publ. Astron. Soc. Japan, **38**, (1986)
- Shibasaki, K.: Height Measurements of S-components, Astrophys. and Space Sci., **119**, 21-25 (1986)
- Enome, S. and L.E. Orwig: Relation Between Solar Narrow-Band Decimetre-Wave Bursts and Associated X-Ray Bursts, Nature, **321**, 421-423 (1986)
- Okada, T. and S. Enome: An Application of One-Bit Correlation Method to the Spectral Estimation of VLF Radio Waves, The Transaction of the IECE of Japan, **69**, 797-802 (1986)
- Enome, S., K. Shibasaki, and M. Nishio: Lambda 8-CM Solar Maps Observed with the RSIP, A Real-Time Multi-Channel Digital Correlator Backend installed to the Radioheliograph at Toyokawa, Proc. Res. Inst. Atmospheric, Nagoya Univ. **34**, in this issue (1987)
- Tanaka, Y., and M. Hayakawa: On the propagation of daytime whistlers at low latitude, J. Geophys. Res., **90**, 3457-3464 (1985)
- Hayakawa, M., Y. Tanaka, K. Ohta, and T. Okada: Absolute intensity of daytime whistlers at low and middle latitudes and its latitudinal variation, J. Geophys. Res., **59**, 67-72 (1986)
- Hayakawa, M., K. Ohta, T. Okada, and Y. Tanaka: Absolute intensity of whistlers as deduced from direction finding measurement, Radio Sci., **20**, 985-988 (1985)
- Hayakawa, M., T. Okada, Y. Tanaka, and K. Ohta: Day-night and latitudinal variations of whistler intensities as deduced from direction findings, in 'Non-linear and Environmental Electromagnetics' ed. by H. Kikuchi, Elsevier Pub. Comp., 43-52 (1985)
- Iwai, A., Y. Katoh, M. Nishino, T. Okada, M. Hayakawa, and Y.

- Tanaka: Ground-based reception of the whistler-mode Decca signals, *Proc. Res. Inst. Atmospheric, Nagoya Univ.*, **32**, 29-44 (1985)
- Nishino, N., and Y. Tanaka: Observations of auroral LHR noise by the sounding rocket S-310JA-6, *Planet. Space Sci.*, in press (1987)
- Okada, T., and T. Yamaguchi: Observation of left-handed polarized whistlers at Moshiri, *Trans. Inst. Elect. Comm. Engrs. Japan (in Japanese)*, **J68-B**, 1321-1322 (1985)
- Kawasaki, Z-I., and S. Israelsson: Electron fluid model simulations of lightning return strokes, *proc. Int. Conf. on Lightning and Static Electricity, Dayton, Ohio, U.S.A.* (1986)
- Kawasaki, Z-I., N. Nakai, M. Nagatani, and H. Nakada: Measurement of HF radio wave noise caused by running bullet train, *Trans. IECE Japan (in Japanese)*, **J70-B**, 163-165 (1987)
- Kawasaki, Z-I., M. Nakano, and T. Takeuti: Effect of ground conductivity on 100 kHz Fourier spectrum of lightning electric and magnetic field, submitted to *Trans. IECE Japan* (1987)
- Nagatani, M., and H. Nakada: A novel system for the simultaneous measurement of several statistical parameters of impulsive radio noises, *Proc Res. Inst. Atmospheric, Nagoya Univ.*, this volume (1987)
- Nakai, T.: Amplitude probability distributions and impulsive amplitude distributions for impulsive noise; atmospheric radio noise from a near thunderstorm and automotive radio noise from a roadway, *Radio Sci.*, **21**, 223-234 (1986)
- Nakai, T: Measurement and analysis of impulsive noise from bullet trains, *IEEE Trans. EMC-28*, 193-203 (1986)
- Takagi, N., T. Takeuti, and T. Nakai: On the occurrence of positive ground flashes, *J. Geophys. Res.*, **91**, 9905-9909 (1986)
- Armstrong, J. W., W.A. Coles, M. Kojima, and B.J. Rickett: Solar wind observations near the sun, in *The Sun and Heliosphere in Three Dimensions*, ed. R.G. Marsden, D. Reidel, 59-64 (1986)
- Houminer, Z., M. Kojima, and T. Kakinuma: The radial evolution of enhanced scintillation regions, this volume (1987)
- Kojima, M., and T. Kakinuma: Sollar cycle evolution of the solar wind speed structure observed with interplanetary scintillation,

- in Proceedings of the International Symposium on Space Physics, Beijing, China, November 10-14 (1986)
- Kojima, M., T. Kakinuma, K. Oyama, T. Mukai, T. Hirano, and W. Miyake: Spatial structure of solar wind observed by SAKIGAKE, SUISEI and interplanetary scintillation, ISAS Research Report, 15, 59-67 (1986)
- Kojima, M., and T. Kakinuma: Solar cycle evolution of solar wind speed structure between 1973 and 1985 observed with the interplanetary scintillation method, J. Geophys. Res., to be published (1987)
- Kojima, M., T. Kakinuma, K. Oyama, T. Mukai, T. Hirano, and W. Miyake: Solar wind structure observed by interplanetary scintillation and spacecraft in 1985 and 1986, this volume (1987)
- Watanabe, T., T. Kakinuma, and M. Kojima: IPS observations of the solar wind in late March 1979 (CDAW-6), Geophys. Res. Lett., 13, 913-916 (1986)
- Watanabe, T., T. Kakinuma, and M. Kojima: Empirical modeling of interplanetary disturbances, Adv. Space Res., in press (1986)
- Watanabe, T., T. Kakinuma, and M. Kojima: Three-dimensional configurations of interplanetary disturbances associated with coronal mass ejections, in The Sun and the Heliosphere in Three Dimensions, ed. R. G. Marsden, D. Reidel, 123-128 (1986)
- Watanabe, T., T. Kakinuma, and M. Kojima: Large-scale propagation properties of an interplanetary disturbance associated with a disappearing solar filament on 27 May 1979, this volume (1987)
- Hayakawa, M., N. Ohmi, M. Parrot, and F. Lefeuvre: Direction finding for ELF hiss emissions in a detached plasma region of the magnetosphere, J. Geophys. Res., 91, 135-142 (1986)
- Hayakawa, M., M. Parrot, and F. Lefeuvre: The wave normals of ELF hiss emissions observed onboard GEOS 1 at the equatorial and off-equatorial regions of the plasmasphere, J. Geophys. Res., 91, 7989-7999 (1986)
- Kurita, K., and M. Hayakawa: Evaluation of the effectiveness of theoretical model calculation in determining the plasmopause structure, J. Geophys. Res., 5, 130-135 (1985)
- Ohmi, N., and M. Hayakawa: On the generation of quasi-electrostatic half-gyrofrequency VLF emissions in the magnetosphere, J. Plasma

Phys., 35, 351-373 (1986)

Ohmi, N., M. Hayakawa, and J. Ohtsu: On the polarization of half-gyrofrequency whistler-mode waves in the magnetospheric two component plasma, J. Phys. Soc. Japan, 55, 2915-2918 (1986)

Tanaka, Y., D. Lagoutte, M. Hayakawa, F. Lefeuvre, and S. Tajima: Spectral broadening of VLF transmitter signals and sideband structures observed on Aureol 3 satellite at middle latitudes, J. Geophys. Res., in press (1987)

